




LUXURIOUS CONCEALED SHOWER SET

BATHROOM SOLUTION

SIMPLE, FASHIONABLE, CLASSIC, LUXURIOUS



	拉丝玫瑰金 Brushed rose gold	BRG
	枪灰 Brushed gunmetal	GM
	玫瑰金 Rose gold	RG
	锆金 Zirconium gold	G
	铬色 Chrome	C
	拉丝金 Brushed gold	BG
	哑黑 Matte black	B
	哑白 Matte white	W

可定制颜色
Customizable colors

Design concept +



“EXCELLENT QUALITY,
FASHION TASTE”

INSIST ON ORIGINALITY
ADHERE TO GOOD QUALITY

IN SIMPLE STYLE, CRAFTSMANSHIP
BOLD, CREATIVE AND ENVIRONMENTALLY FRIENDLY MATERIAL SELECTION
A NEW ERA OF MINIMALISM


INDEX


1/● 暗装淋浴套装 Concealed shower set

001-218

166 Series
 001/044

169 Series
 045/068

158 Series
 069/086

144 Series
 087/100

145 Series
 101/116

181 Series
 117/132

180 Series
 133/150

183 Series
 151/156

117 Series
 159/166

115 Series
 167/170

 105 Series 179/196

 107 Series 171/178

 112 Series 203/206

 156 Series 199/202

 109 Series 219/232





 101 Series 207/218

2/● 落地浴缸龙头 Floor-standing bathtub faucet 233-248

249-258




3/● 暗装浴缸龙头 Concealed bathtub faucet

4/● 暗装面盆龙头 Concealed basin faucet 259-294




INDEX

FROM LURAIN BOX-PRO



THE UNIVERSAL
SOLUTION
FOR THE NEEDS OF
TOMORROW








CONCEALED
SHOWER PANEL

Multifunction control panel Meet your choice of bath
多功能控制面板 满足您对沐浴的选择



Decomposition Of The Main Module
主体模块分解





COLOR POWER IS
INTRODUCED
IN OUR
BATHROOM
DESIGN, A DAY IS
ENLIGHTENED
THROUGH THIS
COLORFUL
COMBINATION
WHICH REFLECTS
PASSION FOR
LIFE.

在我们的浴室设计中引入了色彩力量，
通过这种丰富多彩的组合，一天都会得到启迪
这反映了对生活的热情。



DIY 自由组合，随心匹配现代简约家居风格新潮
纯粹轻简，自然融入，打造家居空间美学
有颜有品，经得起时光检验

DIY free combination, match with modern simple home style.
Pure light and simple, natural integration, to create home space
aesthetics.





EXPERT LEVEL CONSTANT TEMPERATURE VALVE CORE

配置法国原装 Vernet 专家级恒温阀芯原件

VERNET 集团得益于它的知名品牌，销售遍布 140 多个国家 / 地区。

几乎一个世纪以来，VERNET 集团以其主品牌 VERNET 运营，VERNET 是温度调节领域的领先品牌之一。

Thanks to its famous brand,VERNET Group sells in more than 140 countries/regions.

For almost a century,VERNET Group has been operating under ist main brand,VERNET,which is one of the leading brands in the beld of temperature regulation.

VERNET 公司成立于 1972 年，设计和制造定制工程解决方案，以满足冷热和压力控制的各种应用需求。

我们的定制产品包括恒温器，冷热执行器，止回阀，压力调节和减压阀。VERNET 的工程师通过 ISO 9001 认证，拥有所需专业知识，可满足您可能需要的任何定制设计工程需求。我们先进的设施于 2006 年投入使用，旨在确保 VERNET 能够概念化，制造个测试您的热工程解决方案，以满足您的确切要求。

Vernet was founded in 1972 to design and manufacture customized engineering solutions to meet the needs of various applications of heat,cold and pressure control. Our custom products include thermostats,hot and cold actuators,check valves,presure regulators and pressure reducing valves.The engineers of VERNET have passed the ISO 9001 certiPcation and have the required expertise to meet any customized design engineering needs you may need. Our advanced facilities were put into use in 2006 to ensure that VERNET can be conceptualized and manufactured to test your thermal engineering solutions to meet your exact requirements.

1. 每个滤芯单独检查其稳定性和流量，
操作扭矩、泄露和防烫伤功能

Each cartridge is individually checked for
stability,flow,operating torque,leakage and
anti-scald function.

2. 可抵抗水垢，延长阀芯寿命，产品
专利设计安全可靠

Resists limescale offers long life
productreliability Patented design.

3. 在任何水压条件下确保稳定且精确
的出水温度

Ensures a steady&preciseoutlet temperature
under and hydraulic conditions.


SANITARY WARE
BOCH MANN

Installation steps For concealed shower

安装步骤

1. 确定安装位置：根据卫生间的布局和个人使用习惯，确定暗装淋浴花洒的安装位置。一般来说，花洒头的高度在 2.0-2.2 米左右，手持花洒的高度在 1.5-1.7 米左右。使用水平尺确保安装位置水平和垂直，然后用铅笔在墙面上标记出安装孔的位置。
2. 开凿墙面: 按照标记的位置，使用电钻和合适的钻头在墙面上开凿出安装暗盒的孔洞。孔洞的大小和深度应与暗装淋浴花洒的暗盒相匹配，确保暗盒能够完全嵌入墙内，且表面与墙面平齐。
3. 安装暗盒：将暗盒放入开凿好的孔洞中，使用水平尺检查暗盒是否水平和垂直，如有偏差，及时调整。然后用螺丝将暗盒固定在墙面上，确保暗盒安装牢固。
4. 连接水管：将冷热水管与暗盒内的进水口进行连接。在连接前，需在水管接口处缠绕适量的生料带，以防止漏水。使用扳手将水管与暗盒进水口拧紧，注意不要过紧，以免损坏接口。
5. 安装龙头主体：将龙头主体安装在暗盒上，通过螺丝将其固定。安装过程中要注意对准冷热水管接口，确保龙头安装正确。安装完成后，检查龙头是否安装牢固，开关是否灵活。
6. 安装花洒头和手持花洒：将花洒头安装在龙头主体的出水嘴上，通常使用旋转或拧紧的方式进行连接。安装手持花洒时，先将手持花洒的软管一端与龙头主体的手持花洒接口连接，另一端与手持花洒连接，确保连接紧密，无漏水现象。
7. 安装装饰盖：将装饰盖安装在暗盒和龙头主体的周围，以遮盖安装螺丝和墙面缝隙，使安装效果更加美观。
8. 测试与调试: 打开水源总阀门，检查各个连接处是否有漏水现象。同时，测试花洒头和手持花洒的出水情况，调节龙头的开关和水流大小，检查花洒的出水是否均匀，手持花洒的喷头是否正常工作。如有问题，及时进行调整和修复。

以上是暗装淋浴花洒的基本安装步骤，如果在安装过程中遇到复杂问题或不确定的情况，建议咨询专业的水电工或安装人员，以确保安装质量和使用安全。




INTO THE SPIRITUAL RAINFOREST,

As if stepping into a mysterious wonderland. The sun shines through the thick branches and leaves, sprinkling light and shadow, like an elf dancing. Raindrops jump on the leaves, playing a crisp movement. The vines intertwine with each other like a wonderful web woven by nature.

Here, every leaf tells the story of life, and every bird sings the melody of freedom. Monkeys play in the branches of trees, showing a flexible posture; Butterflies flit about among the flowers, making beautiful pictures.

The smart rainforest is a treasure given to us by nature, allowing us to indulge in its beauty and magic.


SMART RAINFOREST



EXPLORE ART AND LIFE



We are always seeking new ways of expression of art and life, transforming its abstract beauty into concrete reality as much as possible.





Purify the body and calm the mind


A good bathroom not only offers a perfect full-function enjoyment but also elevates life to a new level. Cleanliness and hygiene are its sacred duty, and creating a peaceful and quiet life is even more its obligation. It is not only for purifying the body, but also for calming the mind.






DESIGN AESTHETICS, ILLUMINATING THE BATHROOM SPACE

The bathroom, the most private corner of the home, should also be filled with refinement and style. This concealed shower head adopts an advanced concealed installation technique, ingeniously hiding the pipes inside the wall, leaving only a simple showerhead and operation panel. It instantly elevates the overall decoration level of the bathroom, creating a simple yet elegant atmosphere. It is like a delicate work of art, perfectly blending with the bathroom and adding a unique charm to the space. Functionally, the dual rain shower provides a gentle water curtain wrap, the waterfall mode releases a powerful water flow, the spray function nourishes the skin, the back spray precisely massages the back, and the handheld showerhead flexibly cleans. The six major functions fully meet your bathing needs. While enjoying a comfortable bath, you can also feel the pleasure brought by the design aesthetics. Let it be the finishing touch of the bathroom and start every wonderful bathing time for you.



EMBEDDED PIPELINE

预埋管道



- H-6NS166X4



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压: 0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  40°C / tempering  options available

Digital or Non-digital display can be selected

Product parameters:

Material: Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 

Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:80,000 times


表面处理/Surface Treatment



(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸







• H-5NS166X4



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温  / 按键 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected

Product parameters:


Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


EMBEDDED PIPELINE

预埋管道



PRODUCT SIZE

产品尺寸





Waterfall water




Rain shower



Hand shower



Back spray



EFFLUENT PATTERN


Taste Space

The taste of the bathroom space
It is the key for you to enjoy life
Build a home
Choose a life above the spirit
For a restless soul
Put on the coat of tranquility
Let it change your appearance
And extend to the inner sublimation





EMBEDDED PIPELINE
预埋管道



• H-4NS166J2



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键  HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button  HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-4NS166X2A



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键  HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button  HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-4NS166F2+S



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年

阀芯: 恒温 / 按键

水压: 0.1Mpa-0.5Mpa

按键阀芯寿命: 80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:

Material: Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature / Push-button

Hydraulic pressure: 0.1Mpa-0.5Mpa


Valve core life: 80,000 times


表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸





THE BEAUTY OF THE SPIRIT

The sound of birds singing in the rain forest, insects singing, and the sound of streams flowing makes you feel as if you are immersed in the symphony of nature while taking a shower.

耳边仿佛传来雨林中鸟儿的欢鸣、昆虫的低吟，还有溪流潺潺的流淌声，让你在淋浴的同时仿佛沉浸在大自然的交响乐中。



Under the water curtain of the shower, open an encounter with the smart rainforest.
Hot water is like a hot spring in the rain forest, warm and comfortable, flowing through every corner of the body. The jump of water drops, like the dance of insects in the rainforest, is full of the rhythm of life. Let this refreshing shower time become a paradise for physical and mental relaxation.


在淋浴的水幕之下，开启一场与灵动雨林的邂逅。
热水如雨林中的温泉，温暖而舒适，流淌过身体的每一个角落。水珠的跳跃，如同雨林中昆虫的飞舞，充满了生命的韵律。让这灵动的淋浴时光，成为身心放松的天堂。





EMBEDDED PIPELINE

预埋管道



• H-3NS166X2A



可选恒温  和定温 

可选数显  和非数显 

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸



MULTIPLE EFFLUENT EFFECTS




Waterfall Water



Rain Shower



Hand Shower



FAIRY-LAND BATH

Stepping into the shower, like entering the spirit garden,
The dream of the rainforest is here now.
The water is like a flying spring, the skin is moist like cotton,
Both body and mind are relieved, trouble clouds.
Green leaves dance, flowers around the tip of the nose,
The birds are singing sweetly, and the soul is happy.
Bathe in the middle edge, rejuvenate,
Like a fairy in the forest, carefree and happy.




IN THE RAIN "SHOWER" ROOM, FIND THE INNER CLARITY OF PEACH

Close your eyes and look for a forest, a poetic environment that is always full of sunshine, always with lakes and green Spaces, putting aside the crowds, the crowding of the city, and all the noise.





EMBEDDED PIPELINE
预埋管道



• H-3NS166J2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3NS166F2+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-3NDS166BY1+S



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键

水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:



Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3NDS166X2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键

水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



PERSONALIZED CHOICES

Offering a variety of styles and color options to meet the personalized needs of different families, making your bathroom a unique space to showcase your personal taste.




COLOR AND PERSONALITY

The color and personality of life all depend on their own understanding, and it seems that there are always some relying on which you can find the real and rich evidence of life.





EMBEDDED PIPELINE
预埋管道



• H-2NS166F1



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-2NS166X45A



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



BLUE RHYME BATH

"Blue rhyme" emphasizes the blue charm of the ocean, "Qin bath" means a refreshing bathing experience, conveying that the product can bring fresh and pleasant bathing feelings.



蓝韵沁浴

The Ocean Meets The Concealed Shower

In the wonderful picture of life, the ocean meets the hidden shower, presenting a unique feast for the senses.

The ocean, that vast blue world, carries endless mystery and romance. The choppy waves, like the symphony of nature, play the melody of life; Colorful Marine creatures dancing in the deep sea floor, showing the colorful life. When we think of the ocean, we are filled with a longing for freedom, vastness and peace.

The hidden shower, with its simple and elegant design, quietly integrates into the space of modern life. It is like a low-key artist, without publicity but exudes a unique charm. When the water flows out of the nozzle, the delicate touch feels like the gentle touch of the ocean, bringing physical and mental relaxation and comfort.

The connection between the ocean and the concealed shower is not just about visual similarities. The blue hue of the ocean provides inspiration for the design of the dark shower. The deep sea blue, fresh light blue, like the different faces of the ocean, gives the dark shower unique color charm. In such a shower space, you feel as if you are in the arms of the ocean, feeling the peace and power of the sea.

The clean lines of the concealed shower also complement the simple beauty of the ocean. The ocean, with its vast flat surface and smooth curves, presents a simple and atmospheric beauty. The design of the hidden shower is also the pursuit of simplicity, no cumbersome decoration, only pure function and beauty. The beauty of this simplicity allows people to find serenity and peace in their busy lives.



"Dive into an ocean dream, encounter a hidden shower, and start a hydrating journey."


————— *Blue Rhyme Bath*



SHOWER BACK SPRAY




Shower back spray, a subversion of the traditional bathing revolution. No longer satisfied with a single water impact, the back spray function brings you a full range of bathing experience. When the water sprays behind you, you feel the power and tenderness of nature as if you were under a waterfall. Every bath is a spiritual baptism, so that you forget the troubles in the surround of water, regain vitality. Choose shower back spray to make your bath time the most enjoyable.





EMBEDDED PIPELINE

预埋管道



• H-4NS169X2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温 / 按键

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸






"REFOCUSES"


THE FAST PACE OF THE CITY MAKES THE SOUL "OUT OF FOCUS", AND THE BIG SHOWER "REFOCUSES" FOR YOU WITH A WIDE RAIN CURTAIN. IN THIS WATER WORLD, FIND A CLEAR SELF AND FEEL THE LEISURELY RHYTHM OF THE FOREST.

Perfect In Detail

The details reflect perfect, beautiful fashion, comfortable and convenient to use, so that your shower is perfect, reflecting our meticulous care



EMBEDDED PIPELINE
预埋管道



• H-3NS169X2C



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键 HA SSEM
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸






"THREE-KEY DIGITAL DISPLAY • ONE-TOUCH CONTROL"


- Intelligent digital display | water temperature can be seen in real time, cold and hot fluctuations 0 compensation
- Three independent buttons | rain/waterfall/handheld mode one key switch
- All copper body | anti-fingerprint coating, seamless integration with the wall



Enjoy the ultimate shower experience, start with the adjustable Angle top spray shower!



This top spray shower is like a tailor-made shower partner for you, and its unique adjustable Angle design lets you leave the shackles of a fixed pattern. Whether you want the exhilaration of a straight head or the relief of a tilt Angle, it has exactly what you need. Imagine that at the end of a tiring day, you can adjust the Angle of the shower at will, so that the warm water just right to comfort every inch of your skin, taking away all the fatigue and stress. Its delicate nozzle design ensures that the water flow is uniform and gentle, like a continuous drizzle on your body, giving you an unparalleled feeling of comfort. By choosing the adjustable Angle top spray shower, you are choosing to inject more freedom and comfort into your shower time.



BATHED


in the ocean,
Open the ocean
dream trip.

A hidden shower is like a treasure hidden in the deep sea. When you open it, it's like opening a door to a secret part of the ocean. The water envelops you gently, like the warm sea, and makes you forget all your troubles. Embrace the spirit of the sea in this intimate space and make every shower an ocean journey.





EMBEDDED PIPELINE
预埋管道



• H-3NS169F2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:


Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-2NS169JZ1



可选恒温 和定温
可选数显 和非数显


产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次


Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment
 (C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸





SUNRISE

Dawn breaks, the sun rises, the gorgeous red from the horizon burst out, like the fire of hope lit up the whole world. At this time, in this quiet and beautiful moment, the hidden shower button is like a silently waiting genie, waiting for you to open an extreme bath journey.



Bathed in the glory of the sunrise, feel the warmth and hope given by nature. The Pnger gently presses the hidden shower button, and the rounded touch feels like a gentle touch with the sunrise. In an instant, the warm water flows down like a poem, washing away the tired and awakening the sleeping soul.

Handheld Showerhead


selection







EMBEDDED PIPELINE
预埋管道



• H-4NS158J2



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温  / 按键 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理/Surface Treatment

 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸








Trying to reach a balance between function and esthetics, the products embody your lift attitude via dedicate, unique and simple appearances. The superior quality endows you great comfortable feeling and the considerable design with the treat of convenience and practicality.



EMBEDDED PIPELINE
预埋管道



• H-3NS158XY2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键

水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3N158J2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键

水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸







Stone Bath Mountain Residence

—— ·石浴山居

"Stone Bath Residence" combines stones and showers to create a unique bathing atmosphere, while integrating the tranquility and natural beauty of mountain living to provide an ideal place for people to escape from the hustle and bustle of the city and return to their true selves.



EMBEDDED PIPELINE
预埋管道



• H-4NS144X2C



可选恒温  和定温 

可选数显  和非数显 

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 



Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸












EMBEDDED PIPELINE
预埋管道



• H-3NS144F2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键

水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3NS144J2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键

水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button





Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-3N145X2A



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理 / Surface Treatment

PRODUCT SIZE

产品尺寸










EMBEDDED PIPELINE
预埋管道



• L-2N145BF1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-2N145BF1+ZW



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-3N145ZF2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-2N145ZBF1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



RETURN TO THE ORIGINAL,
BACK TO NATURE,
WITH REFRESHING,
EXQUISITE EMBELLISHMENT.


Use accessories with arcs to soften the indoor straight lines or corners,
expressing a kind of natural emotion.







EMBEDDED PIPELINE
预埋管道



• H-4N181J2



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-4NS181F2+S



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-3N181J2



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-3ND181X2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年

阀芯: 恒温 / 按键

水压: 0.1Mpa-0.5Mpa

按键阀芯寿命: 80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸



• H-3ND181J2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年

阀芯: 恒温 / 按键

水压: 0.1Mpa-0.5Mpa

按键阀芯寿命: 80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature / Push-button

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸






SHOWER



The taste of the shower
room
Is critical for you to enjoy
life
Build a home
Choose a kind of spiritual
life
For your fickle mood
Wear a quiet coat
To change your
appearance
And your internal
improvement



EMBEDDED PIPELINE
预埋管道



• H-2NSD181BF1



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-2NSD181BY1



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:




Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





1. Precise control to meet diverse needs
2. Easy to operate, easy to get started
3. High efficiency and energy saving

KEYING FLOW CONTROL


In the busy modern life, the shower is not only a way to clean, but also a moment of relaxation and peace. The emergence of the button flow control shower system is bringing us an unprecedented new shower experience.

PRECISE CONTROL TO MEET DIVERSE NEEDS


The key adjustable flow shower can avoid the waste of water resources caused by inaccurate regulation in the traditional shower. You only need to choose the right flow according to the actual needs, small flow for daily simple washing, large flow for deep cleaning, so as to enjoy a comfortable shower at the same time, but also contribute to the environmental protection.







EMBEDDED PIPELINE
预埋管道



• H-4NS180J2



可选恒温  和定温 

可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 

Hydraulic pressure:0.1Mpa-0.5Mpa



Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-4NS180X50



可选恒温  和定温 

可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE


产品尺寸






HANDWHEEL details

"SIMPLICITY", "PURITY" AND "GRANDEUR" HAVE BECOME HIS NATURALLY UNIQUE AND IMPOSING TEMPERAMENT. THE "EFFICIENCY", "SQUARE RHOMBUS-SHAPED" APPEARANCE AND THE BEAUTIFUL AND ILLUSORY LINES VIVIDLY INTERPRET THE LIFE CONCEPT OF "EXCLUSIVE ENJOYMENT". REFLECT THE UNIQUE STYLE OF THE SHAPE



EMBEDDED PIPELINE 预埋管道



• H-3NS180X2A



可选恒温  和定温 

可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键  HA SSEM

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button  HA SSEM


Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE 产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-4NS180J2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-4NS180X50



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸






Concealed shower



EMBEDDED PIPELINE
预埋管道



• H-3N180D3+ZW



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available

Digital or Non-digital display can be selected



Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-2N180BF1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-2N180BH1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸








Flow Rate Adjustment By Key Operation

精准温度调节：
Precise temperature control:

通过温度调节按钮或旋钮，可精确设定淋浴水温。
The water temperature for the shower can be precisely set through the temperature adjustment button or knob.


功能按键可流量调节：
The function keys can adjust the flow rate:

除了控制出水装置的按键外，还能调节流量。通过旋钮开关，可逐步调节水流大小，让用户根据实际需求精准控制水流量。
In addition to the buttons for controlling the water outlet device, the flow rate can also be adjusted. The water flow can be gradually adjusted through the knob switch, allowing users to precisely control the water flow rate according to their actual needs.





EMBEDDED PIPELINE
预埋管道



• L-2N129+ZW



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


 (C) 镀铬  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸










Bathroom Design:
Color Palette

The primary color tone is white.
A minimalist style is adopted, reflecting the philosophy that simplicity equates to beauty.
The use of solid colors enhances the visual experience, evoking a sense of tranquility and simplicity.
This design conveys an impression of dignity, purity, and subtle luxury.



EMBEDDED PIPELINE
预埋管道



• H-3N117X45-2+ZW



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温  / 按键 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic  / tempering  options available


Digital  or Non-digital display can be selected

Product parameters:

Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理/Surface Treatment


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• L-3N115FT2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-2N115BF1



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸






可调流量大小

For people understanding life, life is a sort of essence, also a sort of richness. In transition process, nice things are diversified and complicated so as to fully meet infinite enjoyment desire.



EMBEDDED PIPELINE
预埋管道



• H-2N107XT1+ZW



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected

Product parameters:


Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-2N107CDG1+ZW



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键 HA SSEM
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸










EMBEDDED PIPELINE
预埋管道



• H-2N105BF1



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected



Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3N105BF1+S



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-2N105XT1+ZW



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-2N105FT1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• H-3N105FT2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3N105FT1+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• H-3N105JT2+S



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键 HA SSEM
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• H-3N105JT2



可选恒温 和定温

可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键 HA SSEM
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• L-3N105CBY1+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键 HA SSEM
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:


Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸






RAIN SHOWER

As dense as the stars of the water holes, around the distribution of soft water curtain covering the whole body, immersed in the comfortable rain.

密集如星星般的水坑，周围分布着覆盖全身的柔软水幕，沉浸在舒适的雨水中


可选数显 / 非数显，恒温 / 非恒温，配以简洁经典选色搭配，干净利落，低调时尚又充满现代感

Optional digital display/non digital display, constant temperature/non constant temperature, combined with simple and classic color selection, clean, low-profile, fashionable and full of modernity.





EMBEDDED PIPELINE
预埋管道



• L-3N156BF1+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-3N156FT2



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸







EMBEDDED PIPELINE
预埋管道



• L-2N112BY1



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-3N112BY1+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温 / 按键
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,0000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



Mercedes-benz BMW series




TASTE THE ART OF LIVING.

Gentle smooth, looks like a smooth mirror. The elegant artistic space, show the beauty of splendid line, outlines your dreamed house. Here you will not meet dramatic change of market hard work in career. Beautiful note is in beat, happy water drop is in sparkle. Here let have the surging vigor, enable you not to keep yourself for a long time. The deep color of indoor style, is the calm rich expression for innermost feeling, manifest the master's gentle the bearing quality.

Multi-function option







AESTHETIC DESIGN, SPACE REFRESH

Break the complexity of the traditional shower, the dark design will cleverly hide the pipe in the wall, so that the bathroom wall bid farewell to the clutter, showing a simple and smooth visual effect, easily create a high-level minimalist space atmosphere, suitable for a variety of decoration styles, whether it is modern simple wind, or European luxury wind, can be perfectly integrated.

FOUR IN ONE WATER, THE HEART "BATH"

1. Shower water: A large area of top spray design, the water is fine and even, bringing a rain-like immersion bath experience, easy to wash away a tired body.

2. Waterfall water: The unique waterfall water mode, water such as a majestic stream, the impact is just right, massage the whole body muscles, relieve physical and mental pressure.


3. Hand-held shower water: The hand-held shower can rotate 360°, easily adjust the water mode and Angle, convenient to clean all parts of the body, even the edge and corner of the bathroom can be easily done.

4. Outlet water: Add outlet water interface at the bottom, it is more convenient to receive the bucket and foot bath basin, and meet the diversified daily use needs.





EMBEDDED PIPELINE
预埋管道



• L-4N101FT2+S



可选恒温  和定温 

可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 


Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:80,000 times


表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-4N101XT2+S



可选恒温  和定温 

可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：恒温  / 按键 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：80 万次

Thermostatic  / tempering  options available

Digital  or Non-digital display can be selected

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: Constant temperature  / Push-button 


Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE
产品尺寸






EMBEDDED PIPELINE

预埋管道





EMBEDDED PIPELINE
预埋管道



• L-3N109BF+S



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

 (C) 铬色  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



ENJOY THE LUXURY BATH EXPERIENCE

Experience the luxury of bathing with this concealed shower shelf equipped with a 4-function BMW button set. Featuring a distinctive BMW button design, precise touch sensitivity, and effortless operation, it allows for seamless switching between four water modes to accommodate your varied needs. When paired with a ceiling shower, a gentle, evenly distributed, rain-like stream of water descends, providing an immersive bathing experience. The storage shelf is designed with a hidden installation, which not only conserves space but also enhances the bathroom's aesthetic appeal while ensuring toiletries are stored conveniently and neatly. With exceptional quality, this product transforms every bath into a delightful journey for both body and mind.





高档会所、星级酒店、私人别墅的不二选择！
The best choice for high-end clubs, star hotels, and private villas!

MORE BENUTIFUL WATER CAN NOT ENVELOP YOU


Your bathroom is the perfect place for a break.
In a relaxed atmosphere,
you can indulge in the moment and forget the hustle and bustle of everyday life.
The most beatiful place for this is under your shower.
the water jet not only hits your head and shoulders,
it gently envelops your entire body like a coat of a thousand microfine drops, because the
innovative jet surface is slightly curved inwards.



Concealed shower



EMBEDDED PIPELINE 预埋管道



109 Series

• L-4N109ZX2C+S



可选恒温 和定温
可选数显 和非数显

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温 / 按键 HA SSEM
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic / tempering options available
Digital or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature / Push-button HA SSEM
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE 产品尺寸







EMBEDDED PIPELINE
预埋管道



• L-3N109ZXT1+S



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温  / 按键 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times


表面处理/Surface Treatment

 (C) 镀铬  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



EMBEDDED PIPELINE
预埋管道



• L-3N109ZX50



可选恒温  和定温 
可选数显  和非数显 

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 恒温  / 按键 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment


 (C) 镀铬  (GM) 枪灰  (W) 哑白  (MB) 哑黑  (G) 金色  (BG) 拉丝金  (RG) 玫瑰金  (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• L-2N109ZX1A



可选恒温  和定温 
可选数显  和非数显

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：恒温  / 按键 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：80 万次

Thermostatic  / tempering  options available
Digital  or Non-digital display can be selected


Product parameters:

Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: Constant temperature  / Push-button 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:80,000 times

表面处理/Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸



Concealed shower



• L-C233-DW


产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：万海 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：100 万次

Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:100,000 times




表面处理 /Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

EMBEDDED PIPELINE
预埋管道




PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• L-C235

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年

阀芯: 万海 

水压: 0.1Mpa-0.5Mpa

按键阀芯寿命: 100 万次

Product parameters:

Material: Copper integrated casting

Valve body can be used for 70 years

Valve core: 

Hydraulic pressure: 0.1Mpa-0.5Mpa


Valve core life: 100,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE


产品尺寸



Concealed shower



EMBEDDED PIPELINE
预埋管道



• L-C236



产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：万海 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：100 万次

Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:100,000 times

表面处理 /Surface Treatment


(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



• L-C237

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：万海 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：100 万次

Product parameters:

Material: Copper integrated casting

Valve body can be used for 70 years

Valve core: 

Hydraulic pressure: 0.1Mpa-0.5Mpa


Valve core life: 100,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE


产品尺寸



Concealed shower



EMBEDDED PIPELINE
预埋管道



• L-C238

产品参数

主体材质: 铜一体铸造 / 阀体管用 70 年
阀芯: 万海 
水压: 0.1Mpa-0.5Mpa
按键阀芯寿命: 100 万次

Product parameters:


Material: Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure: 0.1Mpa-0.5Mpa
Valve core life: 100,000 times

表面处理 / Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸





EMBEDDED PIPELINE
预埋管道



Concealed shower

• L-C239

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：万海 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：100 万次

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: 

Hydraulic pressure:0.1Mpa-0.5Mpa


Valve core life:100,000 times

表面处理 /Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

PRODUCT SIZE

产品尺寸



Concealed shower




• L-C240

产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：万海 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：100 万次


Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:100,0000 times

表面处理 /Surface Treatment


EMBEDDED PIPELINE
预埋管道




PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



Concealed shower

• L-C241

产品参数

主体材质：铜一体铸造 / 阀体管用 70 年

阀芯：万海 

水压：0.1Mpa-0.5Mpa

按键阀芯寿命：100 万次

Product parameters:

Material:Copper integrated casting

Valve body can be used for 70 years

Valve core: 


Hydraulic pressure:0.1Mpa-0.5Mpa

Valve core life:100,000 times

表面处理 /Surface Treatment

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE 产品尺寸



Concealed shower



EMBEDDED PIPELINE
预埋管道




• L-C231

产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：万海 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：100 万次

Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:100,000 times


表面处理 /Surface Treatment


PRODUCT SIZE
产品尺寸





EMBEDDED PIPELINE
预埋管道



Concealed shower


• L-C232

产品参数
主体材质：铜一体铸造 / 阀体管用 70 年
阀芯：万海 
水压：0.1Mpa-0.5Mpa
按键阀芯寿命：100 万次

Product parameters:
Material:Copper integrated casting
Valve body can be used for 70 years
Valve core: 
Hydraulic pressure:0.1Mpa-0.5Mpa
Valve core life:100,000 times

表面处理 /Surface Treatment


PRODUCT SIZE
产品尺寸



The perfect combination
of art and fashion.

Bathtub

RANDOM MATCH



Floor-standing
shower room
bathtub faucet



颜色选择 / Color selection

(C) 铬色	(GM) 枪灰	(W) 哑白	(MB) 哑黑	(G) 金色	(BG) 拉丝金	(RG) 玫瑰金	(BRG) 拉丝玫瑰金
--------	---------	--------	---------	--------	----------	----------	-------------

Looking for
bathroom design
inspiration?




• LD-011G

产品参数
主体材质：黄铜
Material: Brass
表面处理：金色
Finishing: Gold



• LD-012C

产品参数
主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome



• LD-102BG

产品参数
主体材质：黄铜
Material: Brass
表面处理：拉丝枪灰
Finishing: Brushed gunmetal



• LD-022G

产品参数

主体材质：黄铜
Material: Brass
表面处理：金色
Finishing: Gold



• LD-021C

产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome



• LD-032RG

产品参数

主体材质：黄铜
Material: Brass
表面处理：玫瑰金
Finishing: Rose gold



• LD-031GM

产品参数

主体材质：黄铜
Material: Brass
表面处理：拉丝枪灰
Finishing: Brushed gunmetal



颜色选择 /Color selection

(C) 铬色	(GM) 枪灰	(W) 哑白	(MB) 哑黑	(G) 金色	(BG) 拉丝金	(RG) 玫瑰金	(BRG) 拉丝玫瑰金
--------	---------	--------	---------	--------	----------	----------	-------------



• LD-042B

产品参数


主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Black



• LD-052GM

产品参数

主体材质：黄铜
Material: Brass
表面处理：拉丝枪灰
Finishing: Brushed gunmetal



• LD-062RG

产品参数

主体材质：黄铜
Material: Brass
表面处理：玫瑰金
Finishing: Rose gold



• LD-072G(LS)

产品参数

主体材质：黄铜
Material: Brass
表面处理：拉丝金
Finishing: Brushed gold



• LD-081RG

产品参数

主体材质：黄铜
Material: Brass
表面处理：玫瑰金
Finishing: Rose gold



颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金



• LD-E41B




产品参数
主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Black

• LD-E35B

产品参数
主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Black

• LD-092C

产品参数
主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome






坚持的实用美学主义，
将便利的使用体验和优越的价值融入其中，
着力为您和您的家人缔造舒适而现代的卫浴空间。

The pragmatic aesthetics that we adhere
to,Integrate the convenient use experience
and superior value into it,Strive to create
comfortable and modern bathroom space
for you and your family.






• LD-E56C 产品参数 主体材质：黄铜 Material: Brass 表面处理：铬色 Finishing: Chrome	• LD-E37B 产品参数 主体材质：黄铜 Material: Brass 表面处理：黑色 Finishing: Black	• LD-E38B 产品参数 主体材质：黄铜 Material: Brass 表面处理：黑色 Finishing: Black	• LD-E49B 产品参数 主体材质：黄铜 Material: Brass 表面处理：黑色 Finishing: Black
---	--	--	--



• LD-E57B 产品参数 主体材质：黄铜 Material: Brass 表面处理：黑色 Finishing: Black	• LD-E58GM 产品参数 主体材质：黄铜 Material: Brass 表面处理：枪灰 Finishing: Brushed gunmetal	• LD-E59C 产品参数 主体材质：黄铜 Material: Brass 表面处理：铬色 Finishing: Chrome	• LD-E60C 产品参数 主体材质：黄铜 Material: Brass 表面处理：铬色 Finishing: Chrome
--	--	---	---





Concealed bathtub faucet



• E-A320

产品参数
主体材质：黄铜
Material: Brass
表面处理：金色
Finishing: Gold

- 颜色选择 /Color selection
- (C) 铬色
 - (GM) 枪灰
 - (W) 哑白
 - (MB) 哑黑
 - (G) 金色
 - (BG) 拉丝金
 - (RG) 玫瑰金
 - (BRG) 拉丝玫瑰金





• E-A150C


产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome


颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


产品尺寸 /Product size



预埋管道 /Embedded pipeline







• E-A421G

产品参数

主体材质：黄铜
Material: Brass
表面处理：金色
Finishing: Gold

颜色选择 /Color selection



• E-A422

产品参数

主体材质：黄铜
Material: Brass
表面处理：金色
Finishing: Gold

颜色选择 /Color selection



• E-A423

产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome

颜色选择 /Color selection




• E-A531

产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome

颜色选择 /Color selection



• E-A532

产品参数

主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Black

颜色选择 /Color selection




• E-A533

产品参数

主体材质：黄铜
Material: Brass
表面处理：玫瑰金
Finishing: Rose gold

颜色选择 /Color selection





• E-A152B

产品参数

主体材质: 黄铜

Material: Brass


表面处理: 黑色

Finishing: Black

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金

SANITARY WARE
BOCH MANN



• E-A153C


产品参数

主体材质: 黄铜

Material: Brass

表面处理: 铬色

Finishing: Chrome



• E-A155C


产品参数

主体材质: 黄铜

Material: Brass

表面处理: 铬色

Finishing: Chrome



• E-A151C


产品参数

主体材质: 黄铜

Material: Brass

表面处理: 铬色

Finishing: Chrome



• EA156C

产品参数


主体材质: 黄铜

Material: Brass

表面处理: 铬色

Finishing: Chrome

BASIN FAUCET



跨越两个世纪，热爱生活是永恒的主题。


从产品材质、造型、色彩、到功能，无不包含着科技与人文的智慧，包含着对人的关怀、尊重，饱含着对生活本身的理解与热爱。

所有的创新、创造只为生活更美好。

Spanning two centuries, loving life is an eternal theme.

From product materials, shapes, colors, to functions, all contain the wisdom of technology and humanities.

It contains care and respect for people, and is full of understanding and love for life itself.



• B-21011G

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-12910C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

- (C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-31010C



• B-31011G

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸




EMBEDDED PIPELINE

预埋管道



• B-20205B




产品参数

主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金



• B-32010G



• B-32011C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-41010G

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金



PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-42010C



• B-42012C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸




EMBEDDED PIPELINE

预埋管道





• B-12810C



• B-12811GM

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸




EMBEDDED PIPELINE

预埋管道



• B-12820GM



• B-12822G

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



坚持的实用美学主义，
将便利的使用体验和优越的价值融入其中，
着力为您和您的家人缔造舒适而现代的卫浴空间。

The pragmatic aesthetics that we adhere
to,Integrate the convenient use experience
and superior value into it,Strive to create
comfortable and modern bathroom space for
you and your family.



• B-23510C



• B-23520GM

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



坚持的实用美学主义，
将便利的使用体验和优越的价值融入其中，
着力为您和您的家人缔造舒适而现代的卫浴空间。

The pragmatic aesthetics that we adhere to, integrate the convenient use experience and superior value into it, strive to create comfortable and modern bathroom space for you and your family.



• B-20510RG



• B-20520RG

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-12110C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-12022C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-12410C



• B-12420G

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-12210C



• B-12222C

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-12310RG



• B-12322B

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-13210C



• B-13222C

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-12910C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B13010C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-12610C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-13110C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (GM) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE


产品尺寸



EMBEDDED PIPELINE


预埋管道





Simplicity is beauty.

With a stable structure, perfect design, and a combination of sensibility and rationality, the pursuit of quality is always more than that of others.



• B-61020RG

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-13510C

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-13610B

产品参数


主体材质: 黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-13710C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道



• B-13810C

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

(C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道





• B-62020RG

产品参数


主体材质：黄铜
Material: Brass

颜色选择 /Color selection

- (C) 铬色 (BG) 枪灰 (W) 哑白 (MB) 哑黑 (G) 金色 (BG) 拉丝金 (RG) 玫瑰金 (BRG) 拉丝玫瑰金


PRODUCT SIZE

产品尺寸



EMBEDDED PIPELINE

预埋管道








采用简单对称的圆柱形，
精致的工艺细节彰显奢华与高品质。

Simple and symmetrical cylindrical shape is adopted.
The exquisite craftsmanship in detail shows luxury and high quality.

BASIN FAUCET


With modern simple design
style, with world-class
environment-friendly
materials, and with
sophisticated
manufacturing technology,
it fully meets people's
pursuit for
quality and desire for
comforts.



• B-13920C

产品参数


主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome



• B-14020B

产品参数


主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Chrom



• B-14120B

产品参数

主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Chrom




• B-14220B

产品参数

主体材质：黄铜
Material: Brass
表面处理：黑色
Finishing: Chrom

MODERN DESIGN


From the details of life



• B-14320G(LS)

产品参数


主体材质：黄铜
Material: Brass
表面处理：拉丝金
Finishing: Brushed gold



• B-14820C

产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome



• B-14920C

产品参数

主体材质：黄铜
Material: Brass
表面处理：铬色
Finishing: Chrome

